



BENTLEY

ZERO CLEARANCE DIRECT VENT GAS FIREPLACE

Unit Illustrated: Model ZCV39NH Zero Clearance Direct Vent Gas Fireplace Natural Gas, MQLOGF9 Log Set (10 Piece), ZCV39RLH Refractory Brick Liner (3 Piece, Herringbone Brick), MQ39DD2BL Designer Door (Series 2) Black c/w Safety Screen.

 marquis
COLLECTION



STANDARD FEATURES

- Dedicated Clean View appliance
- Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- Pan burner with Realistic Flame Pattern
- Safety Screen Barrier
- Proflame II (PF2) Models* include Remote Control: features flame, fan, thermostat, smart thermostat

OPTIONAL FEATURES

Fan Kit: Heat activated with variable speed control

Designer Doors: Arch, Straight Black (2 options)

Surrounds: Hearth Mount, Picture Frame, Slim Line Picture Frame

- **ZCV39 Surrounds**
 - Hearth Mount 4" Wide (Covers 40 $\frac{5}{8}$ "W x 35"H)
 - Picture Frame 4" Wide (Covers 40 $\frac{5}{8}$ "W x 37"H)
 - Picture Frame 1 $\frac{5}{8}$ " Wide (Covers 36 $\frac{5}{8}$ "W x 32 $\frac{1}{2}$ "H)
- **ZCV42 Surrounds**
 - Hearth Mount 4" Wide (Covers 44 $\frac{5}{8}$ "W x 38 $\frac{1}{8}$ "H)
 - Picture Frame 4" Wide (Covers 44 $\frac{5}{8}$ "W x 40 $\frac{1}{8}$ "H)
 - Picture Frame 1 $\frac{5}{8}$ " Wide (Covers 40 $\frac{5}{8}$ "W x 35 $\frac{5}{8}$ "H)

Liners: Porcelain Reflective or Brick

Glass Tray: Contemporary Rocks (2 options), Driftwood Set (2 options), Decorative Stones, Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze, White), Ember Chunks or Multi-Colored Cannonballs.

Log Sets: 10 Piece Split Oak, 5 Piece Split Oak, or Two Driftwood Log Set options

Accent Lighting: for use with the Glass Tray (*Dealer Installed Item*)

Remotes Controls: Millivolt or IPI PF1

Thermostats: Wall Mount or Programmable

Unit Illustrated: Model ZCV39NH Zero Clearance Direct Vent Gas Fireplace Natural Gas, ZCV39GT Glass Tray, MQG5ZG Glass Media (ZIRCON Glacier Ice, 5 lbs. x3 Bags), ULK2 Universal Light Kit (2 Lamps), ZCV39PL Porcelain Reflective Panel Liner, ZCV39S2PFBL Surround (Picture Frame 1-5/8" Wide).

ACCESSORY OPTIONS


LINERS



Traditional
Brick Liner



Herringbone
Brick Liner



Red
Herringbone
Brick Liner



Stacked
Brick Liner



Fluted
Liner



Porcelain
Reflective
Liner

MEDIA OPTIONS (GLASS TRAY REQUIRED)



MQG5ZG
Zircon Glacier
Ice Glass



MQG5A
Cobalt
Ember Glass



MQG5B
Black
Ember Glass



MQG5C
Bronze
Ember Glass



MQG5W
White
Ember Glass



MQEMBER
Ember
Chunks



MQSTONE
Decorative
Stones



MQROCK2
Natural
Rock Set



MQROCK3
Multi-Colored
Rock Set



RBCB1
Multi-Colored
Cannonballs

LOG SETS



MQ39D 4-piece
Driftwood
Log Set
(Glass Tray Required)



MQ42D 6-piece
Driftwood
Log Set
(Glass Tray Required)



MQLOGF9
10-piece Split
Oak Log Set



LOGF3
5-piece Split
Oak Log Set

REMOTE CONTROLS

(Millivolt or IPI PF1):
Thermostat on/off,
Thermostat on/off modulating,
Thermostat on/off modulating
and fan control



PF2 (Included) PF1 or MV GFRC


DESIGNER DOORS



DD1




DD2



DD3

WALL SURROUND



Black

THERMOSTATS

Wall Mount Thermostat or
Programmable Thermostat



Bring the BIG VIEW INDOORS

With an expansive glass viewing area and clever designer options for customizing the look to suit your personal style, the **Bentley** by Marquis is generating some serious attention.

Available in two sizes, you can choose from the Decorative-rated fireplace for ambiance and taking the chill out of the room, or the Heater-rated version for additional warmth.

With so much style and attention to detail, it's no wonder people are focused on the view indoors!


Visit marquisfireplaces.net to see the latest evolution in fireplaces.

Model	Fuel	Gas Control	Input Max.	Input Min.	FE (P.4.1-15)	Glass Size	Venting
ZCV39N / ZCV39NE ZCV39NE2†	Natural	Millivolt / IPI	25,000 BTU	16,750 BTU	52.35% / 54.24%	33"W x 28 5/8"H	4/7" Flex or 4 x 6 5/8" Hard Pipe* or Power Vent *Approved with Kingsman Flex Vent, MG DuraVent-Direct Vent Pro Direct Vent System, Amerivent Direct Vent Pipe System, Selkirk Direct-Temp Venting, ICC Excel Direct Vent, BDM Pro-Form Direct Vent and Metal Fab Sure-Seal DV Pipe System. This appliance is approved with Kingsman (PVH58) Horizontal Power Vent Termination.
ZCV39LP / ZCV39LPE ZCV39LPE2†	Propane	Millivolt / IPI	25,000 BTU	20,000 BTU	52.35% / 54.24%	33"W x 28 5/8"H	
ZCV39NH / NHE ZCV39NHE2†	Natural	Millivolt / IPI	28,000 BTU	19,000 BTU	63.81% / 66.17%	33"W x 28 5/8"H	
ZCV39NHE2†	Natural	Millivolt / IPI	28,000 BTU	19,000 BTU	66.17%	33"W x 28 5/8"H	
ZCV39LPH / LPHE ZCV39LPHE2†	Propane	Millivolt / IPI	29,000 BTU	23,000 BTU	66.82% / 68.65%	33"W x 28 5/8"H	
ZCV39LPHE2†	Propane	Millivolt / IPI	29,000 BTU	23,000 BTU	68.65%	33"W x 28 5/8"H	
ZCV42N / ZCV42NE ZCV42NE2†	Natural	Millivolt / IPI	25,000 BTU	16,500 BTU	52.86% / 54.95%	37 1/8"W x 31 3/4"H	
ZCV42LP / ZCV42LPE ZCV42LPE2†	Propane	Millivolt / IPI	25,000 BTU	19,500 BTU	52.86% / 54.95%	37 1/8"W x 31 3/4"H	
ZCV42NH / NHE ZCV42NHE2†	Natural	Millivolt / IPI	29,500 BTU	20,000 BTU	64.53% / 66.48%	37 1/8"W x 31 3/4"H	
ZCV42NHE2†	Natural	Millivolt / IPI	29,500 BTU	20,000 BTU	66.48%	37 1/8"W x 31 3/4"H	
ZCV42LPH / LPHE ZCV42LPHE2†	Propane	Millivolt / IPI	29,000 BTU	23,000 BTU	66.65% / 68.77%	37 1/8"W x 31 3/4"H	
ZCV42LPHE2†	Propane	Millivolt / IPI	29,000 BTU	23,000 BTU	68.77%	37 1/8"W x 31 3/4"H	

Model	Height		Front Width		Depth			
	Actual	Framing	Actual	Framing	Actual	Framing		
ZCV39	37 3/4"	37 7/8"	39 3/8"	39 1/2"	18 3/8"	18 1/2"	**	**
ZCV42	40 7/8"	41"	42 3/8"	42 1/2"	18 3/8"	18 1/2"	**	**

Model	A	B	C	D	E	F	G	H
ZCV39	39 3/8"	24 1/8"	29 5/8"	33"	34 1/2"	37 3/4"	3"	29 3/8"
ZCV42	42 3/8"	27 1/4"	33 5/8"	37 1/8"	37 5/2"	40 7/8"	2 1/2"	32 1/2"

** Dependent of finishing material used



1. ZCV39N, MQLOGF9 Log Set (10 Piece), ZCV39RLS Refractory Fiber Brick Liner (Stacked Brick), MQ39DD2BL Designer Door (Series 2, Black).

2. ZCV39N, MQLOGF9 Log Set (10 Piece), ZCV39RLT Refractory Fiber Brick Liner (Traditional Brick), MQ39DD3BL Designer Door (Series 3, Black).

3. ZCV39N, LOGF3 Log Set (5 Piece), ZCV39RLH Refractory Fiber Brick Liner (Herringbone Brick), MQ39DD1BL Designer Door (Series 1, Black).

4. ZCV39N, ZCV39GT Glass Tray, MQSTONE Decorative Stones, ZCV39PL Porcelain Reflective Panel Liner.

5. ZCV39N, MQLOGF9 Log Set (10 Piece), ZCV39PL Porcelain Reflective Liner.

6. ZCV39N, ZCV39GT Glass Tray, MOROCK3 Contemporary Rock Collection (Multi-Colored), ZCV39PL Porcelain Reflective Panel Liner.

7. ZCV42N, MQ42D Driftwood Log Set, ZCV42GT Glass Tray, ZCV42PL Porcelain Reflective Panel Liner, ZCV42S1BL Surround (Hearth Mount 4" Wide).

Unit Illustrated: Model ZCV39NH Zero Clearance Direct Vent Gas Fireplace Natural Gas, ZCV39GT Glass Tray, MQ39D Driftwood Log Set (4 Piece), MQSTONE Decorative Stones, VLBIT6 Log Bits (Small, 6 Piece Kit), ZCV39PL Porcelain Reflective Panel Liner, ZCV39S1PFBL Surround (Picture Frame 4" Wide).



Marquis Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.

Certification: ZCV39N, ZCV39NE, ZCV39LP, ZCV39LPE, ZCV42N, ZCV42NE, ZCV42LP, ZCV42LPE are Certified to: ANSI Z21.50-2012, CSA 2.22-2012, CGA 2.17-M91 Vented Gas Fireplace. ZCV39NH, ZCV39NHE, ZCV39LPH, ZCV39LPH, ZCV39LPHE, ZCV42NH, ZCV42NHE, ZCV42LPH, ZCV42LPHE are Certified to: ANSI Z21.88a-2012, CSA 2.33a-2012, CGA 2.17-M91 Vented Gas Fireplace Heater.

Note: Components may have to be ordered separately to create a complete unit. Discuss with your local Marquis Dealer for clarification.



FOR CALIFORNIA RESIDENTS ONLY:
WARNING! This product can expose you to chemicals including Carbon Monoxide, that is an externally vented-by-product of fuel consumption, which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.

Crafted entirely in Canada, each Marquis fireplace is built to the highest standards and made to last.

LIMITED LIFETIME WARRANTY



2340 Logan Avenue
Winnipeg, Manitoba, CAN
R2R 2V3
Phone: 204.632.1962
Fax: 204.632.1960
marquisfireplaces.net

Printed in Canada
B081 - 10/18

Canada

ENERGUIDE

Look for the **EnerGuide**
Gas Fireplace Energy
Efficiency Rating in this brochure

Based on CSA P.4, 1-15